Board of Trustees
Donald E. Eckmann
President
Wallace D. Van Buren
Vice President
David J. Morrill
Clerk



2710 Curtiss Street P.O. Box 1412 Downers Grove, IL 60515-0703 Phone: 630-969-0664 Fax: 630-969-0827 Staff
Lawrence C. Cox
General Manager
Ralph E. Smith, Jr.
Operations Director
Sheila K. Henschel
Administrative Services
Director

Legai Counsei

Michael C. Wiedel

July 9, 2001

Providing a Better Environment for South Central DuPage County

Ron Kauzlarich Facilities Manager ARROW GEAR COMPANY 2301 Curtiss Street Downers Grove, IL 60515

Dear Mr. Kauzlarich:

Your facility is included in the Downers Grove Sanitary District's prohibited materials management program. The program's purpose is to prevent the accidental discharge of hazardous materials into the sanitary sewer system, and provide assistance in the event of a discharge.

Because of the type of materials in use at your facility, you are required to report any discharges to the District immediately, and file a written certification twice per year, if no discharges have occurred.

A report form is enclosed for the period of January 1 through June 30, 2001. Please describe any spills that occurred, making reference to any reports previously filed with the District regarding the spill. If no discharges occurred, please check the certification statement.

This would also be an appropriate time to review the Spill Containment and Control Plan you have and update it if any changes have been made to the handling, storage or disposal of these materials.

The enclosed form must be returned to the District no later than July 31, 2001. Please feel free to call me if you have any questions.

Sincerely,

DOWNERS GROVE SANITARY DISTRICT

Janet M. Buchner

Laboratory Services Director

DOWNERS GROVE SANITARY DISTRICT PROHIBITED MATERIALS DISCHARGE REPORT January 1 through June 30, 2001

Company: ARROW GEAR COMPANY
Location: 2301 Curtiss Street Downers Grove, IL 60515
This Report was completed by: RONALD KAUZLARICH
Title: FACILITIES MANAGER Phone: 630.969.7640
Describe the occurrence of any discharges of materials prohibited from discharge to the sanitary sewer system. Include the date, time and type of materials discharged; the amount; who was notified at the time; how the spill was contained and cleaned up; and the method of disposal for the spilled materials. Please reference any reports filed with the District.
(Please attach additional sheets)
If no discharges occurred during the reporting period, please indicate that by checking the certification statement below:
Based on my inquiry of the person or persons directly responsible for managing compliance with the accidental discharge reporting requirements, I certify that to the best of my knowledge and belief, no prohibited materials have been dumped or spilled into the wastewaters since filing the last Prohibited Materials Discharge Report. I further certify that this facility is implementing the Spill Containment and Control Plan submitted to the District.
The report must be signed by an authorized agent of the company named above:
Authorized Agent: RONALD HAUZLARICH Title: FACILITIES MANAGE. (Please type or print name)
Signature: Date: 7-18-21

BOARD OF TRUSTEES
Donald E. Eckmann
President
Wallace D. Van Buren
Vice-President
David J. Morrill
Clerk

Downers Grove Sanitary District

2710 Curtiss Street P.O. Box 1412 Downers Grove, IL 60515-0703 Phone: 630-969-0664 Fax: 630-969-0827 Lawrence C. Cox

Raiph E. Smith, Jr.

Sheila K. Henschel Administrative Services

LEGAL COUNSEL

Michael C. Wiedel

January 3, 2001

Providing a Better Environment for South Central DuPage County

Ron Kauzlarich Facilities Manager ARROW GEAR COMPANY 2301 Curtiss Street Downers Grove, IL 60515

Dear Mr. Kauzlarich:

Your facility is included in the Downers Grove Sanitary District's prohibited materials management program. The program's purpose is to prevent the accidental discharge of hazardous materials into the sanitary sewer system, and provide assistance in the event of a discharge.

Because of the type of materials in use at your facility, you are required to report any discharges to the District immediately, and file a written certification twice per year, if no discharges have occurred.

A report form is enclosed for the period of July 1 through December 31, 2000. Please describe any spills that occurred, making reference to any reports previously filed with the District regarding the spill. If no discharges occurred, please check the certification statement.

This would also be an appropriate time to review the Spill Containment and Control Plan you have and update it if any changes have been made to the handling, storage or disposal of these materials.

The enciosed form must be returned to the District no later than January 31, 2001. Please feel free to call me if you have any questions.

Sincerely.

DOWNERS GROVE SANITARY DISTRICT

Janet M. Buchner

Laboratory Services Director

DOWNERS GROVE SANITARY DISTRICT PROHIBITED MATERIALS DISCHARGE REPORT July 1 through December 31, 2000

Company: ARROW GEAR COMPANY
Location: 2301 Curtiss Street Downers Grove, IL 60515
This Report was completed by: RON KAUZLARICH
Title: FACILITIES MANAGER. Phone: 630-964-7640 Er 2
Describe the occurrence of any discharges of materials prohibited from discharge to the sanitary sewer system. Include the date, time and type of materials discharged; the amount; who was notified at the time; how the spill was contained and cleaned up; and the method of disposal for the spilled materials. Please reference any reports filed with the District.
(Please attach additional sheets)
If no discharges occurred during the reporting period, please indicate that by checking the certification statement below:
Based on my inquiry of the person or persons directly responsible for managing compliance with the accidental discharge reporting requirements, I certify that to the best of my knowledge and belief, no prohibited materials have been dumped or spilled into the wastewaters since filing the last Prohibited Materials Discharge Report. I further certify that this facility is implementing the Spill Containment and Control Plan submitted to the District.
The report must be signed by an authorized agent of the company named above:
Authorized Agent: Row KAUZLARICH Title: FACILITIES MANAGEN (Please type or print name)
Signature: 1-14.01

DOWNERS GROVE SANITARY DISTRICT PROHIBITED MATERIALS DISCHARGE REPORT January 1 through June 30, 2000

Company:	ARROW	GEAR CON	MPANY				•	
Location:	2301 Curtis	ss Street Do	wners Grove, IL	60515				
This Repor	t was comp	oleted by: _	Mike Ce	rvinka				
Title: E	xecutive	e Assist	ant		Phone:	630=969=7640	Ext.	235
sanitary sev amount: wl	wer system ho was noti l of disposa	. Include the	e date, time and ime; how the spi	type of r	naterials intained a	om discharge to the discharged; the and cleaned up; and ay reports filed with	l	,
(Please atta	ach addition	nal sheets)						
If no discha	-	_	the reporting per	riod, plea	se indicat	te that by checking	the	
1 1 1	managing of I certify that have been of Prohibited	compliance at to the best dumped or s Materials D nting the Sp		ntal dischange and be vastewate I furthe	arge reported in the period of	rting requirements, prohibited materials iling the last that this facility		
The report	must be sig	gned by an a	authorized agent	of the co	mpany n	amed above:		
Authorize	d Agent: _		uzlarich type or print nam		itle: <u>Fac</u>	ilities Mana	ger	
Signature	1	Trul	7	1	Date:	7-26-00		

BOARD OF TRUSTEES
Donald E. Eckmann
President
Wallace D. Van Buren
Vice-President
David J. Morrill

Downers Grove Sanitary District

2710 Curtiss Street P.O. Box 1412 Downers Grove, IL 60515-0703 Phone: 630-969-0664 Fax: 630-969-0827 Lawrence C. Cox General Manager Ralph E. Smith, Jr. Operations Director Sheila K. Henschel Administrative Services Director

LEGAL COUNSEL

Michael C. Wiedel

July 5, 2000

Providing a Better Environment for South Central DuPage County

Ernest D. Kauzlarich Vice President of Facilities ARROW GEAR COMPANY 2301 Curtiss Street Downers Grove, IL 60515

Dear Mr. Kauzlarich:

Your facility is included in the Downers Grove Sanitary District's prohibited materials management program. The program's purpose is to prevent the accidental discharge of hazardous materials into the sanitary sewer system, and provide assistance in the event of a discharge.

Because of the type of materials in use at your facility, you are required to report any discharges to the District immediately, and file a written certification twice per year, if no discharges have occurred.

A report form is enclosed for the period of January 1 through June 30, 2000. Please describe any spills that occurred, making reference to any reports previously filed with the District regarding the spill. If no discharges occurred, please check the certification statement.

This would also be an appropriate time to review the Spill Containment and Control Plan you have and update it if any changes have been made to the handling, storage or disposal of these materials.

The enclosed form must be returned to the District no later than July 31, 2000. Please feel free to call me if you have any questions.

Sincerely,

DOWNERS GROVE SANITARY DISTRICT

Janet M. Buchner

Laboratory Services Director

DOWNERS GROVE SANITARY DISTRICT PROHIBITED MATERIALS DISCHARGE REPORT July 1 through December 31, 1999

Company: ARROW GEAR COMPANY Location: 2301 Curtiss Street Downers Grove, IL 60515 This Report was completed by: MCHNEZ J. CERVINKA Phone: 630-969-7640 Title: EXEC ASST. Describe the occurrence of any discharges of materials prohibited from discharge to the sanitary sewer system. Include the date, time and type of materials discharged; the amount; who was notified at the time; how the spill was contained and cleaned up; and the method of disposal for the spilled materials. Please reference any reports filed with the District. (Please attach additional sheets) If no discharges occurred during the reporting period, please indicate that by checking the certification statement below: Based on my inquiry of the person or persons directly responsible for managing compliance with the accidental discharge reporting requirements. I certify that to the best of my knowledge and belief, no prohibited materials have been dumped or spilled into the wastewaters since filing the last Prohibited Materials Discharge Report. I further certify that this facility is implementing the Spill Containment and Control Plan submitted to the District. The report must be signed by an authorized agent of the company named above: Authorized Agent: MICHIGA J. CEXVINKA Title: EXET. ASST.
(Please type or print name) Signature Milher Llevonika Date: 1-13-00

BOARD OF TRUSTEES
Donald E. Eckmann
President
Wallace D. Van Buren
Vice-President
David J. Morrill

Downers Grove Sanitary District

2710 Curtiss Street P.O. Box 1412 Downers Grove, IL 60515-0703 Phone: 630-969-0664 Fax: 630-969-0827 STAFF

Lawrence C. Cox General Manager

Raiph E. Smith, Jr. Operations Director

Sheila K. Henschel Administrative Services Director

LEGAL COUNSEL

Michael C. Wiedel

January 4, 2000

Providing a Better Environment for South Central DuPage County

Ernest D. Kauzlarich
Vice President of Facilities
ARROW GEAR COMPANY
2301 Curtiss Street
Downers Grove, IL 60515

Dear Mr. Kauzlarich:

Your facility is included in the Downers Grove Sanitary District's prohibited materials management program. The program's purpose is to prevent the accidental discharge of hazardous materials into the sanitary sewer system, and provide assistance in the event of a discharge.

Because of the type of materials in use at your facility, you are required to report any discharges to the District immediately, and file a written certification twice per year, if no discharges have occurred.

A report form is enclosed for the period of July 1 through December 31, 1999. Please describe any spills that occurred, making reference to any reports previously filed with the District regarding the spill. If no discharges occurred, please check the certification statement.

This would also be an appropriate time to review the Spill Containment and Control Plan you have and update it if any changes have been made to the handling, storage or disposal of these materials.

The enclosed form must be returned to the District no later than January 31, 2000. Please feel free to call me if you have any questions.

Sincerely,

DOWNERS GROVE SANITARY DISTRICT

Janet M. Buchner

Laboratory Services Director

fauilth Suchen

ROARD OF TRUSTEES

Donald E. Eckmann
President

Hugh A. Williams, Jr.
Vice-President

Herbert R. Reich
Clerk

Downers Grove Sanitary District

2710 Curtiss Street P.O. Box 1412 Downers Grove, IL 60515-0703 Phone: 708-969-0664 Fax: 708-969-0827 General Manager
Raliph E. Smith, Jr.
Operations Director
Sheila K. Henschel
Administrative Services
Director

Lawrence C. Cox

LEGAL COUNSEL

Michael C. Wiedel

Providing a Better Environment for South Central DuPage County

January 3, 1996

E. D. Kauzlarich Vice President of Facilities Arrow Gear Company 2301 Curtiss Street Downers Grove, Illinois 60515

Dear Mr. Kauzlarich:

Your facility is included in the Downers Grove Sanitary District's solvent and toxic materials management program, the purpose of which is to prevent the accidental discharge of toxic materials into the sanitary sewer system and provide assistance in the event of a discharge. Because of the type of materials in use at your facility, you are required to report to the District twice yearly, in January and July, for the previous six month period, any discharge of toxics to the sewer.

A prohibited materials discharge report form is enclosed for the period of July 1 through December 31, 1995. For any discharges which occurred during this period, please fully describe the incident including the materials involved, the amount, what was done to contain, clean up and dispose of the material and what actions are being taken to prevent a reoccurrence. If no discharges occurred during the reporting period, you can certify that by checking the certification statement.

This would also be an appropriate time to review your spill containment or solvent management plan and update it. If any changes have been made to the type of materials on site, or their handling procedures, the District should be informed and the plans on file with the District updated.

The enclosed form must be completed, signed and returned to the District by January 31, 1996. Please feel free to call me if you have any questions.

Sincerely,
DOWNERS GROVE SANITARY DISTRICT

Janet M. Buchner

Laboratory Services Director

Jan Hill gueline

Enclosure

DOWNERS GROVE SANITARY DISTRICT Prohibited Materials Discharge Report July 1 through December 31, 1995

Company Name: _	ARROW GEAR COMPANY	
Address: _	2301 Curtiss Street	
, —	Downers Grove. IL 60515	
Report Complete	d By:E. D. Kauzlarich	
Title:	V.P. of Facilities Phone: 708-969-7640	
discharge to material disch notified of the	occurrence of any discharges of materials prohibited f the sanitary sewer system. Include the date, time type arged, the volume and concentration; what authorities w e discharge; what actions were taken to control and clean and what actions were taken to prevent a reoccurrence.	of ere
	(Please attach additional sheets)	
	ges occurred during the reporting period, please indic to the certification statement below.	:ate
responsible disposal of my know dumped of "Prohibitations of that this	Based on my inquiry of the person or persons directly ble for managing compliance with the accidental spill and reporting requirements, I certify that to the best by bledge and belief, no solvents or toxics have been a spilled into the wastewaters since filing the last ted Materials Discharge Report. I further certify a facility is implementing the Spill containment, or management plan, submitted to the Downers Grove Sanitary	
All repo rts m above:	ast be signed by an Authorized Agent of the company na	med
Name of Authoria	Zeed Agent: E. D. Kauziarich (Please type or print name)	
TableV.P.	of Facilities Date: January 4, 1990	<u>6</u>

Donald E. Eckmann
President
Herbert R. Reich
Vice-President
Wallace D. Van Buren
Clerk

Downers Grove Sanitary District

2710 Curtiss Street
P.O. Box 1412
Downers Grove. IL 60515-0703
Phone: 708-969-0664
Fax: 708-969-0827

LEGAL COUNSEL
Michael C. Wiedel

Director

STAFF

Lawrence C. Cox

Raiph E. Smith, Jr.

Sheila K. Henschel

Administrative Services

General Manager

Operations Director

Providing a Better Environment for South Central DuPage County

July 3, 1996

E. D. Kauzlarich Vice President of Facilities Arrow Gear Company 2301 Curtïss Street Downers Grove, Illinois 60515

Dear Mr. Kauzlarich:

Your facility is included in the Downers Grove Sanitary District's solvent and toxic materials management program, the purpose of which is to prevent the accidental discharge of toxic materials into the sanitary sewer system and provide assistance in the event of a discharge. Because of the type of materials in use at your facility, you are required to report to the District twice yearly, in January and July, for the previous six month period, any discharge of toxics to the sewer.

A prohibited materials discharge report form is enclosed for the period of January 1 through June 30, 1996. For any discharges which occurred during this period, please fully describe the incident including the materials involved, the amount, what was done to contain, clean up and dispose of the material and what actions are being taken to prevent reoccurrence. If no discharges occurred during the reporting period, yo can certify that by checking the certification statement.

This would also be an appropriate time to review your spil containment or solvent management plan and update it. If any changes hav been made to the type of materials on site, or their handling procedures the District should be informed and the plans on file with the District apdated.

The envisced form must be completed, signed and returned to the District by July 31, 1396. Floase feel free to call me if you have an questions.

Sincerely, DOWNERS GROVE SANITARY DISTRICT

Janet M. Buchner

Laboratory Services Director

Engloaure

DOWNERS GROVE SANITARY DISTRICT Prohibited Materials Discharge Report January 1 through June 30, 1996

Company Name: ARROW GEAR COMPANY
Address: 2301 Curtiss Street
Downers Grove, IL 60515
Report Completed By: E. D. Kauzlarich
Title: Vice President of Facilities Phone: 708-969-7640
Describe the occurrence of any discharges of materials prohibited from discharge to the sanitary sewer system. Include the date, time type of material discharged, the volume and concentration; what authorities were notified of the discharge; what actions were taken to control and clean up the material; and what actions were taken to prevent a reoccurrence.
None
(Please attach additional sheets)
If no discharges occurred during the reporting period, please indicate that by checking the certification statement below.
Based on my inquiry of the person or persons directly responsible for managing compliance with the accidental spill disposal and reporting requirements, I certify that to the best of my knowledge and belief, no solvents or toxics have been dumped or spilled into the wastewaters since filing the last "Prohibited Materials Discharge Report". I further certify that this facility is implementing the Spill containment, or solvent management plan, submitted to the Downers Grove Sanitary District.
All reports must be signed by an Authorized Agent of the company named above:
Name of Authorized Agent: E. D. Kauzlarich (Please type or print name) Signature: Desceptance
Title: Vice President of Facilities Date: 7/18/96

DOWNERS GROVE SANITARY DISTRICT Prohibited Materials Discharge Report January 1, Through June 30, 1988

Company Name:	ARROW GEAR COMPANY	· · · · · · · · · · · · · · · · · · ·	
Address:	2301 Curtiss Street		
	Downers Grove, IL 6051	5	
Report Completed by	y: Joseph L. Arvin		•
Title: President		Phone:	969-7640
sanitary sewer systematical discharged, its volume of the discharged of the discharged systematical di	rence of any discharges of tem. Include the date, tume and concentration; to scharge; what actions were taken to the scharge of the scharge o	time, type of when and what re taken to c	material authorities were ontrol and clean up
	NONE		
If no discharges or	(Please attach addeduring the report		
X "Based responsible for and reporting reand belief, no swastewaters since Report". I furt	on my inquiry of the permanaging compliance with quirements, I certify the colvents or toxics have the filing the last "Prohible certify that this faint Plan submitted to The	rson or person the accident to the become dumped or bitted Material accility is important to the become the be	ns directly tal spill disposal- st of my knowledge r spilled into the als Discharge plementing the
All reports must be above:	signed by an Authorized	d Agent of the	e company named
Name of Authorized	Agent: Joseph L. An	vin Type or Print)
Signature:	LL Chim		<u>.</u>
Title: President		Date:	July 15, 1988

soard of trustess
Hugh A. Williams, Jr.
President
Herbert R. Reich
Vice-President
Donald E. Eckmann
Clerk



Lawrence C. Cox Manager Ralph E. Smith, Jr. Operations Director Shelia K. Henschel Administrative Services Director

Douglas A. Slansky

Attorney

Alter of Street As

2710 Curtiss Street, Downers Grove, IL 60515-40522

Providing a Better Environment for South Central DuPage County

July 11, 1988

Joseph L. Arvin President Arrow Gear Company 2301 Curtiss Street Downers Grove, IL 60515

Dear Mr. Arvin:

Your facility is included in the "Solvent Management" portion of the Downers Grove Sanitary District's Pretreatment Program because of the potential for discharge of materials which are prohibited from the sanitary sewer system.

Twice each year you are required to report to the District, summarizing the actions taken during and after any discharge incidents involving prohibited materials. A Prohibited Materials Discharge Report Form is enclosed for you to complete for the period of January 1 through June 30, 1988. For any discharges, please describe the incident fully, the volume and nature of the material, how it was cleaned up and disposed of and who was notified. Also describe what actions have been taken to modify procedures to prevent a recurrence. If no discharges occurred during the reporting period, you may certify that by checking the certification statement.

This would also be an appropriate time to review the solvent management plan which was submitted to the District, and compare it to current procedures used in the handling, storing and disposal of prohibited materials. The District should be informed of any changes in writing so that the plan on file with the District can be updated.

The enclosed report must be completed, signed and returned to the Sanitary District by July 31, 1988. Please feel free to call me with any questions you may have regarding these reporting requirements.

Sincerely,

DOWNERS GROVE SANITARY DISTRICT

Sand the Lacua

Janet M. Lacina

Laboratory Services Director

Enclosure

Member Illinois Association of Sanitary Districts

BOARD OF TRUSTESS
Hugh A. Williams, Jr.
President
Roy W. Roush, Jr.
Vice-President
Herbert R. Reich
Clerk



Lawrence C. Cox Manager Raiph E. Smith, Jr. Operations Director Shella K. Henschel Administrative Services Director Douglas A. Slansky

2710 Curtiss Street, Downers Grove, IL 60515-4052 1-312-969-0664

Providing a Better Environment for South Central DuPage County

January 6, 1987

Mr. Joseph L. Arvin

Exec. V.P. and General Manager

Arrow Gear Company

2301 Curtiss Street

Downers Grove, IL 60515

Dear Mr. Arvin:

Your facility is included in the "Solvent Management" portion of the Downers Grove Sanitary District's Pretreatment Program because of the potential for discharge of materials which are prohibited from the sanitary sewer system.

Twice each year you are required to report to the District, summarizing the actions taken during and after any discharge incidents involving prohibited materials. A Prohibited Materials Discharge Report Form is enclosed for you to complete for the period of July 1 through December 31, 1986. For any discharges, please describe the incident fully, the volume and nature of the material, how it was cleaned up and disposed of and who was notified. Also describe what actions have been taken to modify procedures to prevent a recurrence. If no discharges occurred during the reporting period, you may certify that by checking th certification statement.

This would also be an appropriate time to review the solvent management plan which was submitted to the District, and compare it to current procedures used in the handling, storing and disposal of prohibited materials. The District should be informed of any changes in writing so that the plan on file with the District can be updated.

The enclosed report must be completed, signed and returned to the Sanitary District by January 31, 1987. Please feel free to call me with any questions you may have regarding these reporting requirements.

Sincerely,
DOWNERS GROVE SANITARY DISTRICT

Janet M. Lacina Laboratory Services Director

JML/jml Enc.

DOWNERS GROVE SANITARY DISTRICT Prohibited Materials Discharge Report July 1 through December 31, 1986

Company Name: ARROW GEAR COMPANY
Address: 2301 Curtiss Street
Downers Grove, IL 60515
Report Completed by:
Title: Exec. V.P. & Gen. Mgr. Phone: 969-7640
Lescribe the occurrence of any discharges of prohibited materials to the sanitary sewer system. Include the date, time, type of material discharged, its volume and concentration; when and what authorities were notified of the discharge; what actions were taken to control and clean the material; and what actions were taken to prevent a recurrence.
None
(Please attach additional pages)
If no discharges occurred during the reporting period, please indicate that by checking the certification statement below.
"Based on my inquiry of the person or persons directly responsible for managing compliance with the accidental spill disposa and reporting requirements, I certify that to the best of my knowledg and belief, no solvents or toxics have been dumped or spilled into the wastewaters since filing the last "Prohibited Materials Discharge Report". I further certify that this facility is implementing the Solvent Management Plan submitted to The Downers Grove Sanitary District."
All reports must be signed by an Authorized Agent of the company named above:
Name of Authorized Agent: JOSEPH L. ARVIN
(Type of Print)
Signature: Liz-
Title: Exec. V.P. & Gen. Mgr. Date: 1/12/87

BOARD OF TRUSTESS
Hugh A, Williams, Jr.
President
Roy W, Roush, Jr.
Vice-President
Herbert R, Reich
Clark



Lawrence C. Cox Manager Ralph E. Smith, Jr. Operations Director Sheila K. Henschel Administrative Services Director Douglas A. Slansky

STAFF

2710 Curtiss Street, Downers Grove, IL 60515 1-312-969-0664

Providing a Better Environment for South Central DuPage County

June 16, 1986

#2

とりく

Arrow Gear Company 2301 Curtiss Downers Grove, IL 60515

Attn: J. Arvin

Executive Vice President

Your facility is included in the "solvent management" portion of the Downers Grove Sanitary District's Pretreatment Program because of the potential for discharge of materials which are prohibited from the sanitary sewer system.

Semi-annually you are required to submit a report to the District summarizing the actions taken during and after any discharge incidents involving prohibited materials. The report should include a description of the spill, who was notified and when, how the material was cleaned up and disposed of, and what has been done to prevent a recurrence.

If no prohibited materials were discharged during the reporting period, you may certify that by checking the certification statement.

This would also be an appropriate time for you to review the solvent management plan which was submitted to the District, and compare it to current procedures used for handling, storing, and disposing of prohibited materials. The District should be informed of any changes so that the plan on file can be updated.

The enclosed form entitled "Prohibited Materials Discharge Report" should be completed, signed and returned to the District office at the address above by July 31, 1986.

Please feel free to call me if you have any questions regarding the reporting requirements.

Sincerely,

DOWNERS GROVE SANITARY DISTRICT

anet 11). Jacena

Janet M. Lacina
Laboratory Services Director

JML/jad Enclosure

DOWNERS GROVE SANITARY DISTRICT

Prohibited Materials Discharge Report
Reporting Period: January 1 through June 30, 1986

Company Name: ARROW GEAR COMPANY
Address: 2301 Curtiss Street
Downers Grove, Illinois 60515
Report completed by: Joseph L. Arvin
Title: Executive Vice President & General Manager Phone No. 969-7640
Describe the occurrence of any discharges of prohibited materials to the sanitary sewer system. Include the date, time, type of material discharged, its volume and concentration; when and what authorities were notified of the discharge; what actio were taken to control and clean up the material; and what actions have been taken to prevent a recurrence.
NONE
(please attach additional pages)
If no discharge occurred during the reporting period, please indicate that by checking the certification statement below.
X "Based on my inquiry of the person or persons directly responsible for managing compliance with the accidental spill disposal and reporting requirements, I certify that to the best of my knowledge and belief, no solvents or toxics have been dumped or spilled into the wastewaters since filing the last "Prohibited Materials Discharge Report". I further certify that this facility is implementing the solvent management plan submitted to the District."
All reports must be signed by an Authorized Agent of the company named above:
Name of Authorized Agent: Joseph L. Arvin Date: 7/1/86 (Type or Print)
Signature: fruft 2. Title: Exec. V.P. & Gen. Mgr.

E OK

BOARD OF TRUSTEES
Hugh A. Williams, Jr.
President
Roy W. Roush, Jr.
Vice-President
Herbert R. Reich



2710 Curtiss Street, Downers Grove, IL 60515 1-312-969-0664

Providing a Better Environment for South Central

Lawrence C. Cox Manager Ralph E. Smith, Jr. Operations Director Sheita K. Henschel Administrative Services Director Douglas A. Slansky Attorney



Arrow Gear Company 2301 Curtiss Street Downers Grove, IL 60515

Attn: Mr. Joseph L. Arvin, Exec. Vice President

Gentlemen:

Your facility is included in the "solvent management" portion of the Downers Grove Sanitary District's Pretreatment Program because of the potential for discharge of materials which are prohibited from the sanitary sewer system.

Semi-annually you are required to submit a report to the District summarizing what actions were taken during and after any discharge incidents involving prohibited materials. The report should include a description of what actions were taken to not the District, and other authorities, how the material was cleaned up and disposed of, most importantly, what has been done to revise your procedures or facilities to prevent a recurrence.

If no prohibited materials were discharged during the reporting period, you may certify that fact by checking the certification statement.

This would also be an appropriate time for you to review the solvent management plan which was submitted to the District, and compare it to current procedures. The District should be informed of any changes so that the plan on file can be updated.

The "Prohibited Materials Discharge Report" form which is enclosed should be completed, signed, and returned to the District office at the address above no later to inuary 31, 1986.

Please feel free to call me if you have any questions regarding the reporting requirements.

Sincerely,

DOWNERS GROVE SANITARY DISTRICT

Jane Y All Jarona Junet M. Lacina

Laboratory Services Director

JML/jad Enclosure

DOWNERS GROVE SANITARY DISTRICT Prohibited Materials Discharge Report Reporting Period: July 1 through December 31, 1985

Company Name: ARROW GEAR Co.
Address: 2301 CURTISS ST
DOWNERS GROVE, IL 60515
Report completed by: Joseph L. ARVIN
Title: EXEC. V.P. + GEN. MGR. Phone No. 969-7640
Describe the occurrence of any discharges of prohibited materials to the sanitary sewer system. Include the date, time, type of material discharged, its volume and concentration; when and what authorities were notified of the discharge; what action were taken to control and clean up the material; and what actions have been taken to prevent a recurrence.
NONE
· · · · · · · · · · · · · · · · · · ·
is in the second of the second
(please attach additional pages)
If no discharge occurred during the reporting period, please indicate that by checking the certification statement below.
"Based on my inquiry of the person or persons directly responsible for managing compliance with the accidental spill disposal and reporting requirements, I certify that to the best of my knowledge and belief, no solvents or toxics have been dumped or spilled into the wastewaters since filing the accidental spill disposal and reporting plan to the District. I further certify that this facility is implementing the solvent management plan submitted to the District."
All reports must be signed by an Authorized Agent of the company named
(Type or Print) Date: 1-8-86
Fignature: facel L. Clamina Title: EXEC VP & GM